



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com


Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

NEO POT MAGNET FLAT



NEO POT MAGNET FLAT				
Item No.	Dimensions (mm)		Weight (g)	Magnetic force (N)
	D	H		
SMYA5A0001	6	4.5	1	5
SMYA5A0002	8	4.5	1.5	11
SMYA5A0003	10	4.5	2.5	20
SMYA5A0004	13	4.5	4.5	40
SMYA5A0005	16	4.5	6.5	60
SMYA5A0006	20	6	15	90
SMYA5A0007	25	7	22	150
SMYA5A0008	32	7	40	220




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

NEO POT MAGNET WITH COUNTERSUNK HOLE



NEO POT MAGNET WITH COUNTERSUNK HOLE						
Item No.	Dimensions (mm)				Weight (g)	Magnetic force (N)
	D	H	d1	d2		
SMYA5B0001	16	4.5	3.5	6.6	5.7	75
SMYA5B0002	20	6	4.5	9	12.5	105
SMYA5B0003	25	7	4.5	9	23.5	160
SMYA5B0004	32	7	5.5	11	38.5	310
SMYA5B0005	40	8	5.5	10.6	74	500




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

NEO POT MAGNET WITH THREADED BUSH



NEO POT MAGNET WITH THREADED BUSH							
Item No.	Dimensions(mm)					Weight (g)	Magnetic Force (N)
	D	H	L	d	M		
SMYA5C0002	8	4.5	11.5	6	M3	2	13
SMYA5C0003	10	4.5	11.5	6	M3	3	25
SMYA5C0004	13	4.5	11.5	6	M3	5	60
SMYA5C0005	16	4.5	11.5	6	M4	7.5	95
SMYA5C0006	20	6	13	8	M4	16	140
SMYA5C0007	25	7	14	8	M4	25	200
SMYA5C0008	32	7	15.5	10	M5	48	350




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

NEO POT MAGNET WITH THREADED END



NEO POT MAGNET WITH THREADED END

Item No.	Dimensions (mm)				Weight (g)	Magnetic force (N)
	D	H	L	M		
SMYA5D0001	10	4.5	12.5	M4	3	25
SMYA5D0002	13	4.5	12.5	M5	5	60
SMYA5D0003	16	4.5	12.5	M6	7.5	95
SMYA5D0004	20	6	16	M6	16	140
SMYA5D0005	25	7	17	M6	25	200
SMYA5D0006	32	7	17	M6	48	350



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com


Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

NEO POT MAGNET FLAT



NEO POT MAGNET FLAT				
Item No.	Dimensions (mm)		Weight (g)	Magnetic force (N)
	D	H		
SMYA5A0011	22	9	20	40
SMYA5A0012	25	9	30	70
SMYA5A0013	30	9	40	110




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

FERRITE POT MAGNET FLAT



FERRITE POT MAGNET FLAT				
Item No.	Dimensions (mm)		Weight (g)	Magnetic force (N)
	D	H		
SMYA2A0001	10	4.5	2	4
SMYA2A0002	13	4.5	3	10
SMYA2A0003	16	4.5	4.5	18
SMYA2A0004	20	6	10	30
SMYA2A0005	25	7	19	40
SMYA2A0006	32	7	30	80
SMYA2A0007	36	8	40	100
SMYA2A0008	40	8	55	125
SMYA2A0009	47	9	80	180
SMYA2A0010	50	10	100	220
SMYA2A0011	57	10.5	140	280
SMYA2A0012	63	14	230	350
SMYA2A0013	80	18	485	600
SMYA2A0014	100	22	900	900
SMYA2A0015	125	26	1680	1300



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com


Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

FERRITE POT MAGNET WITH THROUGH HOLE



FERRITE POT MAGNET WITH THROUGH HOLE						
Item No.	Dimensions (mm)				Weight (g)	Magnetic force (N)
	D	H	d1	d2		
SMYA2E0001	50	10	8.5	22	90	180
SMYA2E0002	63	14	6.5	24	195	290
SMYA2E0003	80	18	6.5	11.5	480	540
SMYA2E0004	83	18	10.5	32	450	600
SMYA2E0005	100	22	10.5	34	820	680




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

FERRITE POT MAGNET WITH COUNTERSUNK HOLE



FERRITE POT MAGNET WITH COUNTERSUNK HOLE

Item No.	Dimensions (mm)					Weight (g)	Magnetic force (N)
	D	H	d1	d2	t		
SMYA2B0001	16	4.5	3.5	6.5	1.6	4	14
SMYA2B0002	20	6	4.2	8.6	2.1	9	27
SMYA2B0003	25	7	5.5	10.4	2.5	16	36
SMYA2B0004	32	7	5.5	10.4	2.5	27	72
SMYA2B0005	40	8	5.5	10.4	2.5	53	90




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

FERRITE POT MAGNET WITH THREADED HOLE



FERRITE POT MAGNET WITH THREADED HOLE						
Item No.	Dimensions (mm)				Weight (g)	Magnetic force (N)
	D	H	M	K		
SMYA2C0031	50	10	M6	18	105	170
SMYA2C0032	63	14	M8	20	235	350
SMYA2C0033	80	18	M10	15	490	550
SMYA2C0034	90	13	M10	32	350	380
SMYA2C0035	90	18	M10	32	450	420




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

FERRITE POT MAGNET WITH THREADED BUSH



FERRITE POT MAGNET WITH THREADED BUSH

Item No.	Dimensions (mm)					Weight (g)	Magnetic force (N)
	D	H	L	d	M		
SMYA2C0001	10	4.5	11.5	6	M3	3	4
SMYA2C0002	13	4.5	11.5	6	M3	5	10
SMYA2C0003	16	4.5	11.5	6	M3	6	18
SMYA2C0004	20	6	13	6	M3	11	30
SMYA2C0005	25	7	15	8	M4	22	40
SMYA2C0006	32	7	15	8	M4	32	80
SMYA2C0007	36	8	16	8	M4	45	100
SMYA2C0008	40	8	18	10	M5	60	125
SMYA2C0009	47	9	17	8	M4	90	180
SMYA2C0010	50	10	22	12	M6	110	220
SMYA2C0011	57	10.5	18.5	8	M4	145	280
SMYA2C0012	63	14	30	15	M8	240	350
SMYA2C0013	80	18	34	20	M10	520	600
SMYA2C0014	90	20	40	22	M10	690	700
SMYA2C0015	100	22	43	22	M12	940	900
SMYA2C0016	125	26	50	25	M14	1720	1300




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

FERRITE POT MAGNET WITH THREADED END



FERRITE POT MAGNET WITH THREADED END						
Item No.	Dimensions (mm)				Weight (g)	Magnetic force (N)
	D	H	L	M		
SMYA2D0001	10	4.5	11.5	M3	3	4
SMYA2D0002	13	4.5	11.5	M3	5	10
SMYA2D0003	16	4.5	11.5	M3	6	18
SMYA2D0004	20	6	13	M3	11	30
SMYA2D0005	25	7	15	M4	22	40
SMYA2D0006	32	7	15	M4	32	80




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

FERRITE POT MAGNETS, WHITE PAINTED WITH HOOK



FERRITE POT MAGNETS, WHITE PAINTED WITH HOOK						
Item No.	Dimensions (mm)				Weight (g)	Magnetic force (N)
	D	H	L	M		
SMYA2G0003	16	4.5	11.5	M3	7	18
SMYA2G0004	20	6	13	M3	12	30
SMYA2G0005	25	7	15	M4	25	40
SMYA2G0006	32	7	15	M4	35	80
SMYA2G0007	36	8	16	M4	48	100
SMYA2G0008	40	8	18	M5	65	125
SMYA2G0009	47	9	17	M4	93	180
SMYA2G0010	50	10	22	M6	119	220
SMYA2G0011	57	10.5	18.5	M4	148	280



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com


Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

Round Base Permanent Magnets (USA style)



Round Base Permanent Magnets (USA style)

ITEM No.	Dimensions (mm)				Weight (g)	Holding Force (N)
	A	B	C	D		
SMYA2E0021	30.6	4.8	6	3.2	18	60
SMYA2E0022	35.6	7.1	9.5	4.8	31	70
SMYA2E0023	51.6	8	22	4.8	72	200
SMYA2E0024	66.7	9.5	25	6.4	158	400
SMYA2E0025	81	11.2	30.5	7.1	261	530
SMYA2E0026	124.5	12.7	45	12.7	660	900




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

SMCO POT MAGNET FLAT



SMCO POT MAGNET FLAT				
Item No.	Dimensions (mm)		Weight (g)	Magnetic force (N)
	D	H		
SMYA3A0001	6	4.5	1	5
SMYA3A0002	8	4.5	1.5	11
SMYA3A0003	10	4.5	2.5	20
SMYA3A0004	13	4.5	4.5	40
SMYA3A0005	16	4.5	6.5	60
SMYA3A0006	20	6	15	90
SMYA3A0007	25	7	22	150
SMYA3A0008	32	7	40	220




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

SMCO POT MAGNET WITH THREADED BUSH



SMCO POT MAGNET WITH THREADED BUSH							
Item No.	Dimensions (mm)					Weight (g)	Magnetic force (N)
	D	H	L	d	M		
SMYA3C0001	6	4.5	11.5	6	M3	1.5	5
SMYA3C0002	8	4.5	11.5	6	M3	2	11
SMYA3C0003	10	4.5	11.5	6	M3	3	20
SMYA3C0004	13	4.5	11.5	6	M3	5	40
SMYA3C0005	16	4.5	11.5	6	M4	7.5	60
SMYA3C0006	20	6	13	8	M4	16	90
SMYA3C0007	25	7	14	8	M4	25	150
SMYA3C0008	32	7	15.5	10	M5	48	220



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com



Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

Cylindrical Bar Magnets



Cylindrical Bar Magnets			
Item No.	Dimensions (mm)		Weight (g)
	A	B	
SMNQ4A0001	4	10	0.9
SMNQ4A0002	5	10	1.4
SMNQ4A0003	6	10	2.1
SMNQ4A0004	5	20	2.9
SMNQ4A0005	6	20	4.1
SMNQ4A0006	8	24	8.8
SMNQ4A0007	10	30	17.2



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com



Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

Rectangular Bar Magnets



Rectangular Bar Magnets				
Item No.	Dimensions (mm)			Weight (g)
	A	B	C	
SMNQ4H0001	20	10	5	7.3
SMNQ4H0002	60	15	5	32.9
SMNQ4H0003	50	15	10	54.8
SMNQ4H0004	75	15	10	82.1
SMNQ4H0005	101	15	10	110.6
SMNQ4H0006	40	12.5	5	18.3
SMNQ4H0007	60	12.5	5	27.4



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com


Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

Small Horseshoe Magnets



Small Horseshoe Magnets						
Item No.	Dimensions (mm)				Shipping Weight (kg)	Magnetic Force (N)
	A	B	C	D		
SMNQ4M0001	19	10.4	15	4.3	0.015	13
SMNQ4M0002	22.2	11.1	7.9	7.9	0.020	13
SMNQ4M0003	28.6	24.9	7.9	7.9	0.030	24





SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

Powerful Horseshoe Magnets



Powerful Horseshoe Magnets I									
Item No.	Dimensions (mm)							Shipping Weight (kg)	Magnetic Force (N)
	A	B	C	D	E	F	G		
SMNQ4M0004	22	17	25	7	7	8	9	0.076	45
SMNQ4M0005	30	20	20	5.2	7.5	15	11	0.069	45
SMNQ4M0006	40	25	25	5	10	20	13	0.138	90
SMNQ4M0007	45	30	30	5	11	23	17	0.220	118
SMNQ4M0008	60	39.2	61.5	7	14	32	26	0.720	250
SMNQ4M0009	57.2	34.9	44.5	7.9	11.1	34.9	23	0.400	235
SMNQ4M0010	69.9	41.3	57.2	7.9	14.3	41.3	26.2	0.800	370
SMNQ4M0011	79.4	54	82.6	9.5	15.9	47.6	36.5	1.580	470
SMNQ4M0023	79.4	54.0	85.7		15.9	47.6	36.0	1.621	588



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218


E-mail: sunmag@sunmagnetic.com

Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com



Powerful Horseshoe Magnets II

Item No.	Dimensions (mm)							Magnetic Force (N)
	A	B	C	D	E	F	G	
SMNQ4M0017	28.0	25.0	8.0		10.5	7.0	11.0	12
SMNQ4M0018	50.0	60.0	10.0	6.5	10.0	30.0	35.0	50
SMNQ4M0019	56.0	46.0	25.0	5.5	13.0	30.0	18.0	148
SMNQ4M0020	62.0	51.0	24.0	7.0	16.0	30.0	20.0	170
SMNQ4M0021	86.0	70.0	45.0	9.5	16.0	54.0	27.0	350



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218


E-mail: sunmag@sunmagnetic.com

Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com



Small Horseshoe Magnets

Item No.	Dimensions (mm)				Shipping Weight (kg)	Magnetic Force (N)
	A	B	C	D		
SMNQ4M0001	19	10.4	15	4.3	0.015	13
SMNQ4M0002	22.2	11.1	7.9	7.9	0.020	13
SMNQ4M0003	28.6	24.9	7.9	7.9	0.030	24



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com



Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

Shallow Pot Magnets



Shallow Pot Magnets					
Item No.	Dimensions (mm)			Shipping Weight (kg)	Magnetic Force (N)
	A	B	C		
SMNQ4B0001	19.1	7.5	3.7	0.025	30
SMNQ4B0002	28.6	8.5	4.8	0.058	50
SMNQ4B0003	38.1	10.4	4.8	0.057	130
SMNQ4B0004	26.0	12.0	5.0	0.110	55
SMNQ4B0005	50.0	12.0	6.0	0.230	300
SMNQ4B0006	58.0	15.0	12.0	0.396	500




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

Button Magnets



Button Magnets							
Item No.	Dimensions (mm)					Shipping Weight (kg)	Magnetic Force (N)
	A	B	C	D	E		
SMNQ4M0012	12.7	4.4	4.8	9.5	4	0.075	7
SMNQ4M0013	19.1	4.8	6.4	12.7	5.6	0.028	19
SMNQ4M0014	25.4	4.8	7.9	15.9	5.6	0.058	34
SMNQ4M0015	31.8	7.1	12.7	25.4	7.9	0.130	48
SMNQ4M0016	22.2	4.8	10.1	19.1	6.4	0.058	30



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com


Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

Pot Magnets with Release



Pot Magnets with Release					
Item No.	Dimensions (mm)			Shipping Weight (kg)	Magnetic force (N)
	A	B	C		
SMNQ4C0006	55.0	49.2	M8	0.950	400
SMNQ4C0007	69.9	64.5	M8	1.950	880
SMNQ4C0008	44.5	44.5	M8	0.550	200
SMNQ4C0009	101.6	74.6	M12	4.700	1700



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com



Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

Pot Magnets with Steel Magnet System



Pot Magnets with Steel Magnet System					
Item No.	Dimensions (mm)			Shipping Weight (kg)	Magnetic Force (N)
	A	B	C		
SMNQ4C0001	17.5	16.0	M6	0.023	26
SMNQ4C0002	20.6	19.0	M6	0.040	40
SMNQ4C0003	27.0	25.0	M6	0.085	61
SMNQ4C0004	35.0	30.0	M6	0.184	147
SMNQ4C0005	65.0	43.0	M12	0.930	400
SMNQ4C0010	9.5	15.1	M3	0.010	10
SMNQ4C0011	12.7	15.8	M4	0.020	20



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com


Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

Pot Magnets with Aluminum Cup



Pot Magnets with Aluminum Cup				
Item No.	Dimensions (mm)			Weight (kg)
	A	B	C	
SMYK2H0002	179.1	24.9	37.3	0.538
SMYK2H0003	228.6	18.3	24.9	0.379



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com


Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

Pot Magnets with Plastic Cup



POT Magnets with Plastic Cup			
Item No.	Dimensions (mm)		Colors available
	D	H	
SMYB2A0001	20	7	Red, Yellow, Blue, Orange, Green, White and Black
SMYB2A0002	25	7	
SMYB2A0003	30	7	
SMYB2A0004	35	7	
SMYB2A0005	40	9	
SMYB2A0006	18	7	




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

Rubber Magnetic System with Threaded Bush



Rubber Magnetic System with Threaded Bush							
Item No.	Dimensions (mm)					Weight (g)	Magnetic force (N)
	A	B	C	D	E		
SMYC5A0007	12.0	7.0	14.8	8.0	M4	6.0	10
SMYC5A0008	31.0	6.0	11.5	8.0	M4	22.0	75
SMYC5A0002	43.0	6.0	10.4	8.0	M4	30.0	85
SMYC5A0002A	43.0	6.0	10.4	8.0	M4	30.0	112
SMYC5A0003	66.0	8.5	15.0	10.0	M5	105.0	180
SMYC5A0003B	66.0	8.5	15.0	10.0	M6	105.0	180
SMYC5A0004B	88.0	8.5	17.0	12.0	M6	190.0	420



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China

Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com

Plant:


YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China

Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

Rubber Magnetic System with Threaded End



Rubber Magnetic System with Threaded End

Item No.	Dimensions (mm)					Weight (g)	Magnetic force (N)
	A	B	C	D	E		
SMYC5A0002B	43.0	6.0	21.0	12.0	M6	30.0	85
SMYC5A0003A	66.0	8.5	23.5	12.0	M8	105.0	180
SMYC5A0004C	88.0	8.5	23.5	12.0	M8	190.0	420



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com



Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

Rubber Magnetic System with Threaded Hole



Rubber Magnetic System with Threaded Hole

Item No.	Dimensions (mm)				Weight (g)	Magnetic Force (N)
	A	B	C	D		
SMYC5A0006A	31.0	7.0	14.0	M6	21	75
SMYC5A0003C	66.0	8.5	10.0	M5	100.0	180
SMYC5A0004A	88.0	8.5	12.0	M6	186.0	420
SMYC5A0004D	88.0	8.5	12.0	M8	186.0	420