




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

Magnetic Plate Lifter

- Powerful ferrite magnets in an aluminum housing provides secure grip;
- Incorporates a quick release mechanism for ease of removal from the held item;
- Easy and efficient remove steel plates and segments from laser, flame and plasma profiling machines;
- Without damaging the lifting items.



Magnetic Plate Lifter					
ITEM No.	Dimensions (mm)			Weight (kg)	Holding Force (kg)
	A	B	C		
SMYK2H0004	127	89	36.5	1.9	45




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

Magnetic Sheet Floaters

- Safely and quickly separate oily, sticky or polished steel sheets;
- The housing is made of die-cast aluminum (a kind of sturdy, economy and nonmagnetic material) with optional colored plastic painted;
- Could be fixed with the mounting holes.



Magnetic Sheet Floaters				
ITEM No.	Dimensions (mm)			Weight (kg/pair)
	A	B	C	
SMYK2M0001	76	73	65	1.4
SMYK2M0002	102	92	76	3.1
SMYK2M0003	152	113	89	6.75




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

Holding and Retrieving Magnets

- Powerful magnet designed for recovery / retrieval, e.g.: retrieve sunken treasure along the floor of the lake or stream;
- Attach a rope or chain to the eyebolt, then could be cleaner in tanks, vats, waterways or hard-to-reach places;
- Also could be screwed or bolted to most surfaces(metal walls, beams, doors and so on) to hold, lift or hang objects;
- The plastic painted (optional colors) surface ensure the magnets to work deep under water, oil and other dangerous liquids.



Holding and Retrieving Magnets

ITEM No.	Dimensions (mm)					Weight (kg)	Holding Force (kg)
	A	B	C	D	E		
SMYJ2H0001	150	25	50.8	5	11.1	1.0	160
SMYJ2H0002	150	50	50.8	10	30	2.2	200
SMYJ2H0003	50.8	14.3	50.8	4.7	11.1	0.19	18.1
SMYJ2H0004	50.8	27	50.8	4.7	11.1	0.38	45.4
SMYJ2H0005	127	27	50.8	4.7	11.1	0.79	68
SMYJ2H0006	127	50.8	50.8	9.5	30	2.04	102.1




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

Permanent Magnetic Lifter

- Convenient and safe in handling;
- Extraordinary holding force at small unit size;
- Lift and transport round and flat loads;
- Wide range of sizes.



Permanent Magnetic Lifter

ITEM No.	Standard Holding Force (kgf)	Holding Force for cylinder (kgf)	The Max. Force for Drawing off (kgf)	Dimensions (mm)				Working Temp. (°C)	Weight (kg)
				W	L	H	R		
SMYJ5R0001	100	30	350	64	92	70	145	<80	3
SMYJ5R0002	300	100	1050	88	165	96	176	<80	10
SMYJ5R0003	500	150	1750	118	216	118	219	<80	20
SMYJ5R0004	600	200	2100	118	236	120	219	<80	24
SMYJ5R0005	1000	300	3500	168	264	168	285	<80	50
SMYJ5R0006	1500	500	5200	168	352	168	380	<80	70
SMYJ5R0007	2000	600	7000	226	378	216	462	<80	125
SMYJ5R0008	3000	1000	10500	290	453	265	567	<80	220
SMYJ5R0009	5000	1500	17500	290	647	265	707	<80	355
SMYJ5R0010	6000	2000	19200	290	713	266	707	<80	398



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com

Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600



E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

Magnetic Sweepers

- Quickly and easily clear work areas, sport pitches and car parks of potentially damaging and dangerous metal debris(nails, pins, staples and metal fragments);
- Quick load-release handle clears collected pieces;
- Sturdy structure.

Push-type Sweepers



Push-type Sweepers			
ITEM No.	Sweeping width	Overall width	Approx. Gross Wt. (kg)
	A (mm)	B (mm)	
SMYG2R1001	465	550	5.3




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com


Self-Cleaning Push Sweepers I



Self-Cleaning Push Sweepers I

ITEM No.	Sweeping Length	Overall Length	Approx. Gross Wt. (kg)
	A (mm)	B (mm)	
SMYG2R0002	750	893	8.4

Self-Cleaning Push Sweepers II



Self-Cleaning Push Sweepers II

ITEM No.	Sweeping width	Overall width	Approx. Gross Wt. (kg)
	A (mm)	B (mm)	
SMYG2R0003	660	777	18.5




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com



Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

Self-Cleaning Push Sweepers III



Self-Cleaning Push Sweepers III			
ITEM No.	Sweeping width	Overall width	Approx. Gross Wt. (kg)
	A(mm)	B(mm)	
SMYG2R0004	612	735	18
SMYG2R0006	914	1037	25

Self-Cleaning Push Sweepers IV



Self-Cleaning Push Sweepers IV			
ITEM No.	Sweeping Length	Overall Length	Approx. Gross Wt. (kg)
	A (mm)	B (mm)	
SMYG2R0005	610	740	11
SMYG2R0008	914	1044	14



SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com


Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

Magnetic Strips



Magnetic Tool Racks

- Provides an extra hand in the garage, workshop or kitchen. Neat, no-fuss holding of tools, knives and components;
- Plastic painted with optional colors.
- Supplied with fixing screws.



Magnetic Tool Racks				
ITEM No.	Dimensions (mm)			Weight (kg)
	A	B	C	
SMYK2H0010	152.4	24	19	0.4
SMYK2H0011	330	24	19	0.8
SMYK2H0012	610	24	19	1.5



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com

Plant:


YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

Magnetic Strips

Rubber Magnetic Strips



Rubber Magnetic Strips				
ITEM No.	Dimensions (mm)			
	A	B	C	D
SMYD5H0001	90	30	7.5	5



SUN MAGNETIC SYS-TECH CO., LTD.



Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

Magnetic Welding Fixtures

- Fast, easy and secure way to hold work pieces in place for welding.
- Die-cast aluminum (a sturdy, economy and nonmagnetic material) housing with powerful magnets inside.
- Plastic painted with optional colors.
- With an adjustable or fixed 90° angle available.

Heavy-Duty Fixed Fixtures



Heavy-Duty Fixed Fixture						
ITEM No.	Dimensions (mm)				Weight (kg)	Holding Force (kg)
	A	B	C	D		
SMYK2H0001	207	207	48	34	2.7	180



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com


Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

Heavy-Duty Variable Fixtures



Heavy-Duty Variable Fixture

ITEM No.	Dimensions (mm)				Weight (kg)	Holding Force (kg)
	A	B	C	D		
SMYK2R0001	225	225	48	34	2.9	180



SUN MAGNETIC SYS-TECH CO., LTD.


Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com


Multi-angle Welding Fixtures



- Fast and accurately holding flat and round ferrous components.
- Various angles available from 30°, 45°, 60°, 75°, 90°, to 180°



Multi-angle Welding Fixtures I					
ITEM No.	Dimensions (mm)				Weight (kg)
	A	B	C	D	
SMYK2Q0001	96	14	64	7.5	0.3



Multi-angle Welding Fixtures II					
ITEM No.	Dimensions (mm)				Weight (kg)
	A	B	C	D	
SMYK2Q0002	120	14	82		0.3
SMYK2Q0003	160	20	102	28	0.7
SMYK2Q0004	200	22	128	40	1.3
SMYK2Q0005	120	14	82	24	0.3




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com


Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com

Magnetic Pickup Tools

- Light weighted and efficient pickup tool;
- Ideal for sorting ferrous materials(cans), picking up spilt items(washers or pins), clearing swarf from coolant tanks or foundry sand and so on;
- With handle and mechanism for the easy release of attached items;
- With long handle version available to use in hard-to-reach places (corners).



ITEM No.	Dimensions (mm)				Weight (kg)	Holding Force (kgf)
	A	B	C	D		
SMYK2A0001	220	98	90	166	0.8	0.4




ITEM No.	Dimensions (mm)					Weight (kg)	Holding Force (kgf)
	A	B	C	D	E		
SMYK2H0005	163	100	210	155	102	2.1	0.5




SUN MAGNETIC SYS-TECH CO., LTD.

Office:
No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079
Tel: +86 10 8768 4216 Fax: +86 10 8768 4218
E-mail: sunmag@sunmagnetic.com

Plant:
YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600
E-mail: smst@public3.bta.net.cn
Web Site: www.sunmagnetic.com



ITEM No.	Dimensions (mm)			Holding Force (kgf)
	A	B	C	
SMYK2A0003	90	98	913	0.4



ITEM No.	Dimensions (mm)		
	A	B	C
SMYK5R0001	80.3	8.5	517



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China

Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com

Plant:



YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China

Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

Magnetic Door Locks



Magnetic Door Locks

ITEM No.	Dimensions (mm)					
	A	B	C	D	E	F
	42	32	25	11.2	24	5



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com


Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600


E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

Magnetic Naildrivers



ITEM No.	Dimensions (mm)		
	A	B	C
OEYN4H0004	57	19	7/16"-14UNC



ITEM No.	Dimensions (mm)				
	A	B	C	D	E
OEYN4H0001	140	17	47	∅ 14.5	19
OEYN4H0002	203	17	47	∅ 14.5	19
OEYN4H0003	140	19	48	∅ 18.5	20



SUN MAGNETIC SYS-TECH CO., LTD.

Office:

No. 2, Nan Yao Cun, Yong Ding Men Wai, Feng Tai District, Beijing P. R. China
Post code: 100079

Tel: +86 10 8768 4216 Fax: +86 10 8768 4218

E-mail: sunmag@sunmagnetic.com

Plant:

YongQing Gas Industrialized Garden, LangFang Developing Zone, HeBei, P.R. China
Post Code: 065600

E-mail: smst@public3.bta.net.cn

Web Site: www.sunmagnetic.com

Magnetic Base



Magnetic Base					
Holding Force	Dimensions			Threaded Hole	Weight
	Length (mm)	Width (mm)	Height (mm)		
35kg	36	30	35	M5 x 0.8	0.2kg
35kg	48	40	55	M8 x 1.25	1.0kg
80kg	60	50	55	M8 x 1.25	1.5kg
100kg	74	50	55	M8 x 1.25	1.8kg
130kg	118	50	55	M10 x 1.5	2.1kg